

e-STUDIO™ 5506AC

e-STUDIO™ 6506AC

e-STUDIO™ 7506AC

- > Color Multifunction Printer
- > Up to 75 PPM
- > Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready



CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customizable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you meet your green objectives.

- > Speeds of 55, 65 & 75 PPM Color
- > High-resolution and high-volume color
- > High-volume black & white
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor

Sleeker, faster, and more versatile than ever.

This year, Toshiba is introducing a new, sleek lineup that's as impressive on the outside as it is on the inside. Its ultra-modern look houses the latest innovative technology, like brilliant, multi-beam laser color delivered at up to 75 pages per minute as well as black and white up to 85 pages per minute.

- > 1,200 dpi x 1,200 dpi, 2bit color (PostScript 3) for genuine laser quality
- > 600 dpi x 600 dpi, 5bit color in image smoothing mode, color mode
- > e-BRIDGE Color Profile Tool provides accurate Pantone® or unique color matching options
- > New high-speed, high-capacity Dual-Scan Document Feeder
- > Up to 600K maximum monthly copy volume

Simple, smart and stylish.

A new 9" tablet-style touch screen with an embedded web browser is easy to use and customizable to meet your needs. And, it is part of the bold new look being introduced across the e-STUDIO series.



INNOVATIVE FEATURES, VERSATILE CONNECTIVITY.

The Toshiba e-STUDIO7506AC series helps workgroups connect, integrate and simplify while improving efficiency, productivity and the professionalism of presentations.

Higher Robust Speeds include 55/65/75 brilliant color pages per minute and 65/75/85 monochrome pages per minute, respectively.

Fast Dual-Scan Document Feeder handles up to 300 sheets at a time and seamlessly scans both sides of each page in a single pass to produce a full 240 images per minute (IPM).

Fast First Copy Out Times include 6.4/6.4/5.4 seconds for full-color printing and 5.2/4.5/4.1 seconds (respectively) for black and white printing.

9" Tablet-Style Touch Screen works intuitively, helping you access instructions, functions, and commands with the swipe of the finger.

Banner Printing produces impressive signage as large as 12" x 47" using our unique AquaAce media.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size, type or, in some cases, color toner.

Limitless Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the ability to fold without stapling.

Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Help Button provides instant, thorough explanations straight from the manual to help as needed.



TOSHIBA INNOVATION AT ITS FINEST.

When it comes to seamless workflow and simplified integration, the e-STUDIO7506AC series represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables complete third-party integration and support for internally driven solutions. A universal driver along with PCL 6, PS3, and XPS support provide fast and easy connectivity to Windows®, Macintosh® and more.

AirPrint and Mopria™ support means mobile users can print to the MFP with ease. The e-BRIDGE Print & Capture application provides additional capabilities including the ability to scan from the MFP back to your mobile device. Also, a Dual-Line Fax option can handle heavy fax volumes with ease.

Cloud Support

New Scan-to-Cloud and Cloud Print capabilities increase productivity by allowing users to access, store and print documents remotely from the MFP. Whether it's Dropbox, OneDrive or Google Drive, the new e-STUDIO7506AC series makes scanning to these cloud-based locations a breeze, while embedded support for Google Cloud Print enables easy printing to the MFP from anywhere you may be.

Advanced Security

Even more important than functionality is the security offered by the e-STUDIO7506AC series. Such technological advancements include:

- > A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- > FIPS 140-2 Validated SED meets and exceeds government requirements
- > IPsec is available to securely encrypt data sent to and from the MFP

Environmental Responsibility

Because we have been working to protect the environment as well as your security, you can rest assured Toshiba has what it takes to protect both.

- > RoHS compliance, the use of recycled plastics, and Low-Power (0.6W) Super Sleep Mode work to help the environment
- > EPEAT Gold Registered in the global registry for greener electronics, designed to help purchasers choose products that reduce environmental impact
- > Energy Star V2.0 meets the latest, more stringent requirements



IMPRESSIVE EVEN BEFORE YOU TURN IT ON.

1 Accessory Tray & Keyboard Options

GR1250 – Accessory Tray
GR9000 – Bluetooth Keyboard
GR1260 – 10-Key Numeric Keypad

2 Finishing Options

MJ1111 – 50-Sheet Console Finisher
MJ1112 – 50-Sheet Saddle Stitch Finisher
MJ6106 – Hole Punch Unit
KA6551 – Side Exit Tray

3 Connectivity Options

GD1370 – Fax Unit/2nd Line for Fax Unit
GN4020 – Wireless LAN/Bluetooth Module

4 Additional Paper Options

MP2502 – 2,500 Sheet Large Capacity Feeder

Additional Option Highlights

- > IPsec Security Enabler
- > Multi-Station Print Enabler
- > Embedded OCR Enabler



Toshiba's e-STUDIO7506AC series offers the best of the best, enabling large workgroups to improve productivity and connectivity while simplifying the overall workflow.

Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDf) produces up to 120 IPM simplex and 240 IPM duplex.

Bluetooth/WiFi Option

Bluetooth feature provides support for a wireless keyboard to simplify workflow processes at the MFP, while the WiFi capability enables WiFi-Direct printing making it ideal for mobile users

Volumes and Volumes

A high monthly copy volume is 480K/540K/600K respectively. Impressive toner yields are 39,200 color and 106,600 black and white (each at 5%).

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any available MFP by simply swiping their badge and authenticating at that device.

Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, an Intel Atom™ dual-core processor, 4GB RAM and a 320GB FIPS 140-2 Validated SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.


e-STUDIO™ 5506AC/6506AC/7506AC

Main Specifications

Copy System	Indirect Electrostatic Photographic Method/OPC/Laser Printing/Heat Roller Fusing
Display	9" Color WVGA Touch Screen Tilting Display
Copy Speed	Color: 55/65/75 PPM (LT), Monochrome: 65/75/85 PPM (LT)
First Copy Out	Color: 6.4/6.4/5.4, Monochrome: 5.2/4.5/4.1
Warm-Up Time	Approx. 20 Seconds
Copy Resolution	600 x 600 dpi
Stack Feed Bypass	3.9" x 5.8" to 13" x 19", 12" x 47" Banner, Envelope
Multiple Copying	Up to 9,999 Copies
Paper Capacity	4-Drawer: 2,280 Sheets/Max. 4,780 Sheets Tandem Drawer: Standard 3,520 Sheets/Max. 6,020 Sheets
Original Feed	Standard 300-Sheet DSDf
Scan Speed & Weights	DSDf Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color), Simplex: 9.3-110 lb Index, Duplex: 9.3-110 lb Index
Max. Original Size	LD
Paper Feed Sizes	Drawers: 540 Sheets-ST-R to 12" x 18" Integral Tandem LCF 1,160 x 2 LT-Only Stack Feed Bypass: 120 Sheets-3.9" x 5.8" to 13" x 19", 12" x 47" Banner 2,500-Sheet Ext. LCF LT-Only
Paper Weights	4-Drawer: Standard 540 Sheets x 4-16 lb Bond-140 lb Index Tandem LCF 1,160 Sheets x 2-16 lb Bond-140 lb Index Plus 540 Sheets x 2-16 lb Bond-140 lb Index Stack Feed Bypass: 120 Sheets-16 lb Bond-110 lb Cover Opt. 2,500-Sheet Ext. LCF LT-Only -16 lb Bond-140 lb Index Standard Automatic Duplex Unit (16 lb Bond-140 lb Index)
Duplex	Standard Automatic Duplex Unit (16 lb Bond-140 lb Index)
Reproduction Ratio	25% to 400%
Max Duty Cycle	Max. 480K/540K/600K Month (Color: 100%)
Weight	Approx. 470 lb
Approx. Dimensions	37.6" (W) x 28.9" (D) x 48.3" (H)
Toner Yield	CMY: 39,200, K: 106,600 @ 5%
Power Source	120 Volts, 50/60 Hz, 16 Amps
Power Consumption	Maximum 2.0kW (120V)
CPU	Intel Atom™ 1.75 GHz (Dual-Core)
Memory	4GB
Hard Disk Drive	320GB Self-Encrypting Drive FIPS 140-2 Validated

e-BRIDGE Next Print Specifications

PDL	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
Print Speed	Color: 55/65/75 PPM (LT), Monochrome: 65/75/85 PPM (LT)
Print Resolution	600 x 600 dpi (5 bit), 1,200 x 1,200 dpi (Color/2 bit) or 3,600 x 1,200 dpi (BW/with Smoothing) PS3 Only
Operating Systems	Windows® Vista, Windows Server® 2008/R2, Windows® 7, 8, 8.1, 10, Windows Server® 2012/R2, Macintosh® (Mac OS X 10.6, 10.7, 10.8, 10.9, 10.10, 10.11), Unix®, Linux®
Network Protocols	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk® for Macintosh Environments
Printing Protocols	SMB, LPR/LPD, IPP (Ver.1.1) w/Authentication, AppleTalk PAP or EtherTalk™, Port 9100 (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP
Print Drivers	Windows® Vista SP2 (32-bit, 64-bit), Windows Server® 2008 SP2 (32-bit, 64-bit), Windows Server® 2008 R2 SP1 (64-bit), Windows® 7 SP1 (32-bit, 64-bit), Windows® 8/8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows® 10 (32-bit, 64-bit), Mac OS® X 10.6.8, 10.7.4, 10.8, 10.9, 10.10, 10.11
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed) Optional 802.11b/g/n, Wireless LAN, Optional Bluetooth
Wireless Device	AirPrint™, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple App Store or Google Play)
Device Management	TopAccess, EFMS 6.2 (e-BRIDGE Fleet Management Software)
Account Control	Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
Accessibility Features	Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout and Audible Beep Message Alerts



Security Features

User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408 EAL3+), IEEE2600.1, IEEE802.1X, Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp
*Compliant with IEEE2600.1 in High Security Mode.

Environmental Stds. Certification

Energy Star (V2.0), EPEAT Gold, RoHS
WHQL (Windows 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell, Citrix, SAP

Scan Specifications

Scan Speed	DSDf Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color)
Scan Modes	Standard: Full Color, Auto Color, Monochrome, Grayscale
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
File Formats	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.)
Image Compression	Color/Grayscale: JPEG (High, Middle, Low)

Facsimile Specifications

Compatibility	Super G3
Data Compression	MH/MR/MMR/JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	Up to 33.6 Kbps
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job
Scan Speed	0.7 Seconds Per Page, Maximum 73 IPM

e-Filing Specifications

Operation Method	Color Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

Accessories (Options)

Additional Paper Options	MP2502	Embedded OCR Enabler Single License Five Licenses	GS1080 GS1085
Finishing Options	MJ1111 MJ1112 MJ6106 KA6551 KN1103	Multi-Station Print Enabler Single License Five Licenses Advanced Scanning (ReRite) SharePoint Connector Exchange Connector Google Drive Connector	GS1090 GS1095 GB1280V8 GB1440 GB1450 GB1540
Connectivity/Security Options	GD1370 GN4020 GP1190A GR9000 GR1250 GR1260 GR1290 GS1010 GP1080 GS1007	FAX Unit/2nd Line for FAX Unit Wireless LAN/Bluetooth Hardcopy Security Printing Bluetooth Keyboard Accessory Tray Panel 10-Key Option Card Reader Holder Meta Scan Enabler IPsec Enabler Unicode Font Enabler	Miscellaneous Options Accessible Arm Harness Kit for Coin Controller
			KK2560 GQ1280

Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint and the AirPrint logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1.

Corporate Office

9740 Irvine Blvd., Irvine, CA 92618
Tel: 949-462-6000

East Coast

959 Route 46 East, 5th Floor, Parsippany, NJ 07054
Tel: 973-316-2700

Midwest

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631
Tel: 773-380-6000

South

2037 Bakers Mill Rd., Dacula, GA 30019
Tel: 678-546-9385

West Coast

9740 Irvine Blvd., Irvine, CA 92618
Tel: 949-462-6000

Web Site

www.business.toshiba.com